

1. Identification

Product Identifier	Majestic Heavy Duty Tile & Grout Clean	er
Other means of identification		
Product code	MAJC03	
Recommended use	Acid based tile and grout cleaner	
Recommended restrictions	Professional use only.	
Manufacturer/supplier/distributor/importer information		
Company name	M3 Technologies, Inc.	
Address	57 Lamberts Lane	
	Cohasset, MA 02025	
Telephone	(800) 342-4533	
Emergency phone number	CHEMTREC	(800) 424-9300
	24-hour Emergency	(800) 424-9300

2. Hazard(s) Identification

Physical hazards Health hazards	Corrosive to metals. Serious eye damage. Skin corrosion.	Category 1 Category 1 Category 1B
Environmental hazards	Not classified.	
OSHA defined hazards	None.	
Label elements		
Signal word	DANGER	

Signal word	DANGER		
Hazard statement	May be corrosive to metals. Causes severe skin burns and eye damage.		
Precautionary statement			
Prevention	Keep only in original container. Do not breathe dusts or mists. Wash skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.		
Response	Absorb spillage to prevent material damage. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable breathing. Immediately call a POISON CENTER/doctor/medical professional. Specific treatment (see supplemental information on this label). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.		
Storage	Store in corrosive resistant container with a resistant inner lining. Store locked up.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Hazard(s) not otherwise classified (HNOC)	None.		
Supplemental information	None.		



3. Composition/information on ingredients

Mixture Component(s)			
Chemical name	CAS number	Purpose	%
Water	7732-18-5	Solvent	80-100%
Phosphoric Acid	7664-38-2	pH Adjuster	5-10%
Isopropanol	67-63-0	Solvent	1-5%
Butoxyethanol	111-76-2	Solvent	1-5%
Nonoxynol	127087-87-0	Surfactant	1-5%
Sulfamic Acid	5329-14-6	Descale	1-5%
Methyl Salicylate	119-36-8	Fragrance Component	0-1%
Glycol Ethers	PROPRIETARY	Stabilizer	0-0.1%

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.		
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.		
Eye contact	Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so. Immediately call a physician or transport to hospital.		
Ingestion	Rinse mouth. Get medical attention immediately. Do not induce vomiting.		
Most important symptoms/effects, acute and delayed	Can cause serious eye damage. Can cause burning sensation in affected areas. Shortness of breath, respiratory tract irritation or damage.		
Indication of immediate medical attention and special treatment needed	Provide general support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.		
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. Use with extreme caution.		

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions,
protective equipment and
emergency proceduresKeep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep
out of low areas. Wear appropriate protective equipment and clothing during clean-up.
Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled materials
unless wearing appropriate protective clothing. Ensure adequate ventilation. Local
authorities should be advised if significant spillages cannot be contained. For personal
protection, see section 8 of the SDS.



Methods and materials for This product is miscible in water.

containment and cleaning up	
containment and cleaning up	Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
	Small spills: Wipe up with absorbent material (e.g. cloth, absorbent wipes). Clean surface thoroughly with water to remove residual contamination.
	Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into surface drainage paths and other areas not consistent with package labeling.
7. Handling and storage	

Precautions for safe handling	Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limi	ts				
US OSHA Table Z-1 Limits	s for Air Contaminar	ts (29 CFR 1910.1000)			
Components	Туре		Va	Value	
Phosphoric Acid	PEL		1 n	ng/m³	
2-propanol	PEL			0 ppm	
2-butoxyethanol	PEL		50	50 ppm	
US ACGIH Threshold Limit	Values				
Components	Туре		Va	lue	
Phosphoric Acid	STEL		3 n	ng/m³	
2-propanol	STEL			0 ppm	
2-butoxyethanol	STEL		20	ppm	
Biological limit values					
ACGIH Biological Exposu	re Indices				
Components	Value	Determinant	Species	Sampling Time	
2-propanol	40 mg/L	Acetone	Urine	End of shift at end of	
2-butoxyethanol	200 mg/g	Creatinine	Urine	workweek.	
				End of shift	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level. It is recommended that users of this product perform a risk assessment to determine the appropriate personal protective equipment.				
Individual protection measu	ures, such as person	al protective equipmen	ıt		
Eye/face protection	Avoid contact w	vith eyes. Wear safety g	lasses with side s	shields (or goggles).	
Skin protection					



Hand protection	The use of gloves impervious to the specific material handled is advised to prevent skin contact. Users should check with manufacturers to confirm the breakthrough performance of their products. Suggested protective materials: Nitrile and PVC rubber.	
Other	Wear appropriate chemical resistant clothing. Depending on exposure and use conditions, additional protection may be necessary to prevent skin contact including use of items such as chemical-resistant boots, aprons, arm covers, hoods or coveralls.	
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.	

9. Physical and chemical properties

Appearance	
Physical State	Liquid
Color	Colorless
Odor	Mint
Odor threshold	Not available
рН	0-1
Melting/freezing point	14°F (-10°C) estimated
Initial boiling point and	>212°F (>100°C)
boiling range	
Flash point	Not applicable.
Evaporation rate	Not available.
Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity (water=1)	1.07
Solubility in water	Soluble.
Partition coefficient	Not available.
(n-octanol/water)	
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	This product is stable and non-reactive under normal conditions of use.
Chemical stability	Material is stable under normal conditions. Store in a cool dark place.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid storage in elevated temperatures.
Incompatible materials	Bases, amines, metals. DO NOT MIX WITH BLEACH.
Hazardous decomposition products	No hazardous decomposition products occur. In case of fire see section 5.





11. Toxicological information

Information on likely routes of exposure	
Ingestion	Do not ingest. May be harmful if swallowed.
Inhalation	Do not inhale. May cause damage to the upper respiratory tract.
Skin contact	Can cause severe skin burns.
Eye contact	Can cause serious eye damage.
Symptoms related to the physical, chemical and toxicological characteristics	Burning sensation, coughing, wheezing, shortness of breath.
Acute toxicity	Not classified.

Product Majestic - Heavy Duty Tile & Grout Cleaner (CAS mixture)		
Exposure Classification	Route and Species	LD ₅₀
Acute	<i>Oral,</i> rat	> 8,700 mg/kg (estimated)
*Estimates for product may be based on additional component data not shown		

Skin corrosion/irritation	Causes severe skin burns.
Serious eye damage/ irritation	Causes serious eye damage.
Respiratory sensitization	Not considered a respiratory sensitizer.
Skin sensitization	Not considered a skin sensitizer.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	Not considered a carcinogen.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	Not Listed.
Reproductive toxicity	No data available.
Specific target organ toxicity – single exposure	May cause damage to the upper respiratory tract with prolonged inhalation.
Specific target organ toxicity – repeated exposure	No data available.
Aspiration hazard	No data available.

12. Ecological information

Ecotoxicity		
Product Majestic Heavy- Duty Tile & Grout Cleaner (CAS mixture)		
Aquatic	Species	LC ₅₀
Fish	Fathead Minnow (Pimephales promelas)	>200 mg/L (estimated)
*Estimates for product may be based on additional component data not shown		
	,	

Persistence and degradability	No data available. Chemicals of this class are not expected to be persistent in an open, aerobic environment
Bioaccumulative potential	Not data available. Product components are highly water-soluble and not expected to accumulate in dynamic biological systems
Partition coefficient n-octanol/water (log Kow) Not available.	
Mobility in soil	No data available. Chemicals of these classes are highly water soluble and will partition weakly to particles in low-clay soil matrices. They are expected to exhibit moderate to high mobility in saturated and semi-saturated soils
Other adverse effects	May be harmful to plants or wildlife in high, static concentrations.



13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company. As packaged, this product may meet criteria defining RCRA corrosive (D002) hazardous wastes when disposed. (40 CFR Part 261, Subpart C). Before selecting disposal method, ensure that the waste materials have been properly assessed and, as necessary, tested to confirm regulatory status.
Waste from residues/unused product	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

14. Transport information

USDOT	
UN number	UN1760
UN proper shipping	Corrosive liquids, n.o.s. (Contains: Phosphoric Acid)
name	
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packaging group	III
Marine pollutant	No
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.
Transport in bulk according to	Not intended to be transported in bulk.
Annex II of MARPOL 73/78	
and the IBC Code	
DOT Label/Placard	



15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance	Not listed.
SARA 304 Emergency release notification	Not listed.

.



 SARA 311/312 Hazard Categories

 Immediate Hazard - Yes

 Delayed Hazard - No

 Fire Hazard - No

 Pressure Hazard - No

 Reactivity Hazard - No

 SARA 313 (TRI reporting)

 2-butoxyethanol (Glycol Ether Category)

 California Proposition 65

 California Safe Drinking Water and Toxic Enforcement Act of 1986 This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to threshold determination and Safe Harbor notification (1/2019)

16. Other information, including date of preparation or last revision

Issue date	3/6/2015
Revision date	11/10/2020
Version #	3
HMIS [®] ratings	Health: 2
	Flammability: 0
	Physical hazard: 0



Health: 2 Flammability: 0 Instability: 0

NFPA ratings

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

Revision information

Update Composition information in compliance with updated standards.